

7351



Proprietors:

Julius Stainer

Hermann Neugebauer


Largest

Austrian Kilnhouses for forest tree seeds.

Branch-office and large Nurseries at
Zalaegerszeg, Hungary.

Gorizia, Italy.

Founded 1860 by Nic. Stainer



WR. NEUSTÄDTER

WALDSAMEN-KLENGANSTALTEN

JUL. STAINER

TREE SEEDSMEN,
COLLECTORS
AND EXTRACTORS

WIENER-NEUSTADT
AUSTRIA

1929-1930



IMPORT

EXPORT

H. JORDAN WIEN, IX, ALSERSTRASSE 42.

Notice

This offer cancels all previous quotations.

Our effort is extended to supply only the very best seeds, but all seeds are sold without warranty. Should any cause for complaint arise on receipt of shipment, notice must be sent within one week of same, otherwise it is understood that the goods are accepted.

Conditions: All offers and acceptances of orders are subject to the condition of the season's crop. The seeds are shipped at purchaser's risk. Alterations of prices reserved. Every order is firm after being acknowledged by us.

Rates: 5 lbs sold at 1 lb rate, 25 lbs sold at 10 lbs rate, over 25 lbs sold at 100 lbs rate. The price for quantities under 1 lb is higher by 10 %.

Terms: Prices are quoted in U. S. A. Dollars (\$), free here. Payment against shipping documents or satisfactory references from unknown parties. Please send together with your order half of the amount on account. The balance is to be paid absolutely **60 days after date of invoice**, otherwise interests for overdue account will be charged.

„Do not forget to add your Permit Number to your orders. The import of seeds into U. S. A. is only allowed on condition that a permit is obtained.“

When large quantities of seeds are wanted, we shall be pleased to quote special prices on receipt of your wants.

We set value on your good opinion and appreciate your orders. We assure you that we shall always be ready to make up for any mistake and to uphold our obligations.


Kindly place your orders as early as possible that we may be able so supply all items wanted. All orders are booked and executed in the turn of their arrival.

Cable Address:
Samenstainer, Wienerneustadt
A. B. C. Code 5th edition
Bankers: Ladenburg, Thalmann & Co.,
25 Broad Street, New York.

WR.=NEUSTÄDTER
WALDSAMEN=KLENGANSTALTEN
JUL. STAINER



Please give us a trial order for Stainer's new Germ-tester „Non plus ultra“.



System Dr. Ing. Buchinger
and Prof. Dr. Zederbauer
of the Technical High-
School for Geological
Research in Vienna.

The Germ-Tester costs S 1.25, packing excluded, free Wr.=Neustadt
Ask detailed prospectus.

Evergreens

f. o. b. Wiener-Neustadt Price

	Per lb.	Per lb. 10 lb. lot	Per lb. 100 lb. lot
Abies cephalonica, Greek Fir	1.40	1.20	1.05
" cilicica, North Syrian Fir	1.70	1.45	1.30
" Nordmanniana, Nordmann Fir	1.65	1.40	1.25
" pectinata , European Silver Fir	—34	—30	—26
" pinsapo, Spanish Fir	1.15	1.—	—90
" " glauca, Spanish Silver Fir	1.50	1.30	1.15
" sibirica, Sibirian Fir	3.20	2.90	2.60
Biota, see Thuya	—.—	—.—	—.—
Cedrus atlantica, Mt. Atlas Cedar	2.15	1.80	1.60
" " argentea	2.30	2.—	1.80
" Deodara , Deodar Cedar	2.30	1.90	1.70
" Libani, Cedar of Libanon	2.30	1.95	1.75
Cephalotaxus drupacea	—68	—60	—52
Chamaecyparis Lawsoniana, Lawson Cypress	1.30	1.10	1.—
" " argentea	2.50	2.15	1.95
" " aurea	2.70	2.35	2.10
" " pyramidalis	2.50	2.15	1.95
" obtusa, Kinoki Cypress	3.30	2.95	2.70
" pisifera, Sawara Retinospora	3.20	2.90	2.65
Cryptomeria japonica, Japanese Cedar	1.40	1.20	1.05
Cupressus arizonica, Arizona Cypress (harvested) in Europe	1.80	1.55	1.40
" funebris, Mourning Cypress	1.70	1.50	1.35
" goveniana	2.10	1.80	1.55
" horizontalis, Italian Cypress	—30	—26	—23
" Lambertiana (macrocarpa)	1.70	1.45	1.30
" lusitanica	1.65	1.40	1.25
" pyramidalis	—34	—30	—26
" torrulosa (majestica)	1.80	1.55	1.40
Ginkgo biloba, Salisburia adiantifolia	—34	—30	—26
Juniperus communis, Common Juniper	—13	—11	—10
" virginiana, Red cedar	—56	—50	—45
Larix europea , European Larch	—90	—77	—70
" dahurica	3.50	3.15	2.85
" leptolepis, Japanese Larch	4.10	3.70	3.35
" sibirica, Sibirian Larch	3.—	2.50	2.25
Libocedrus decurrens, Thuya Craigiana	—85	—72	—65
Picea alba	1.85	1.65	1.50
" excelsa , Norway Spruce	—56	—50	—45
" Omorica, Serbian Spruce	19.50	17.60	16.—
Pinus austriaca , Pinus nigra	—90	—77	—70
" Banksiana, Jack Pine	2.70	2.35	2.10
" canariensis, Canary Pine	—85	—72	—65
" cembra, Cembra Wood, Tyrolian no Russian seed	—40	—36	—32
" excelsa , Himalayan Pine	1.70	1.50	1.35
" halepensis, Aleppo Pine	—45	—40	—36
" laricio calabrica, Calabrian Pine	3.—	2.50	2.25
" " corsica , Corsican Pine	2.90	2.45	2.20
" leucodermis	4.30	3.90	3.55
" maritima (Pinaster)	—13	—11	—10
" montana, Mountain Pine	1.65	1.40	1.25
" montana mughus Mugho Pine selected dwarf	2.30	1.95	1.75

	Per lb.	Per lb. 10 lb. lot	Per lb. 100 lb. lot
<i>Pinus peuce</i> , Macedonian Pine	3.—	2.70	2.45
„ <i>sabiniana</i> , Digger Pine	1.50	1.30	1.15
„ <i>rigaensis</i> , Scotch Pine from Riga	3.—	2.50	2.25
„ <i>strobis</i> , White Pine	2.30	1.90	1.70
„ <i>sylvestris</i> Scotch Pine	1.05	—90	—80
<i>Pseudolarix</i> <i>Kaempferi</i> , Goldenlarch	1.30	1.10	1.—
<i>Sequoia gigantea</i> , Wellingtonia	15.60	14.15	12.85
„ <i>sempervirens</i> , Red Wood	1.80	1.55	1.40
<i>Taxodium distichum</i> , Common Baldcypress	—68	—60	—52
<i>Taxus baccata</i> , English Yew	1.30	1.10	1.—
„ <i>cuspidata</i> , Japanese Yew	3.30	2.95	2.70
<i>Thuja</i> <i>gigantea</i> , <i>Thuja plicata</i> v. Lobbi	7.50	6.70	6.10
„ <i>occidentalis</i> , Am. Arbor-vitea	3.60	3.20	2.90
„ <i>(Biota) orientalis</i> , Chin. Arbor vitea	1.05	—90	—80
„ „ „ <i>aurea</i> , Chinese Golden Arbor=v.	1.30	1.10	1.—
„ „ „ <i>compacta</i>	1.50	1.30	1.15
<i>Tsuga</i> <i>diversifolia</i>	7.50	6.70	6.10
„ <i>Sieboldi</i>	7.10	6.40	5.80
Deciduous Trees, Shrubs and Fruit Trees			
<i>Acacia dealbata</i>	2.70	2.45	2.20
<i>Acer campestre</i> , English Maple	—18	—15	—13
„ <i>dasycarpum</i>	—68	—60	—52
„ <i>negundo</i> , Ash Leaf Maple	—25	—22	—20
„ <i>platanoides</i> , Norway Maple	—25	—22	—20
„ „ <i>Schwedleri</i>	—56	—50	—45
„ <i>polymorphum</i>	7.80	7.10	6.45
„ <i>pseudoplatanus</i> , Sycomore Maple	—22	—20	—18
„ „ <i>atropurpureum</i>	—68	—60	—52
<i>Aesculus hyppocastanum rubicunda</i> , Red Horsechestnut	—30	—26	—23
<i>Ailanthus glandulosa</i> , Tree of Heaven	—25	—22	—20
<i>Albizza julibrissin</i> , Acacia mimosa	—40	—33	—30
<i>Alnus glutinosa</i> , European Alder	—56	—50	—45
„ <i>incana</i> , Speckled Alder	—85	—72	—65
„ <i>viridis</i> , Mountain Alder	—70	—63	—57
<i>Amorpha fruticosa</i> , Indigo Shrub	—40	—35	—32
<i>Ampelopsis quinquefolia</i> , Virginia Creeper	—50	—44	—40
„ <i>Veitchi</i> , Boston Ivy	1.30	1.10	1.—
<i>Berberis Thunbergii</i> , clean seed	4.80	4.25	3.85
„ <i>vulgaris</i> , Common Barbary	—40	—35	—32
„ „ <i>fol. atrop.</i> , Purple Barbary	1.70	1.45	1.30
<i>Betula alba</i> <i>verrucosa</i> , White Birch	—18	—15	—13
<i>Buxus sempervirens</i> , Box	1.05	—95	—85
<i>Calycanthus praecox</i> <i>(Chimonanthus)</i>	2.50	2.15	1.95
<i>Camellia japonica</i>	1.50	1.30	1.15
<i>Caragana arborescens</i> , Siberian Pea-tree	2.30	2.—	1.80
<i>Carpinus betulus</i> , European Hornbeam	—16	—14	—12
<i>Castanea vesca</i> , Edible chestnut	—25	—22	—20
<i>Catalpa bignonioides</i> , Trumpetcreeper	—85	—72	—65
„ <i>Kaempferi</i>	1.05	—90	—80
<i>Celtis australis</i> , clean seed	—56	—50	—45
<i>Cercis siliquastrum</i>	—40	—35	—32

	Per lb.	Per lb. 10 lb. lot	Per lb. 100 lb. lot
<i>Clematis vitalba</i>	—·50	—·44	—·40
" <i>viticella</i>	—·68	—·60	—·52
<i>Colutea arborescens</i>	—·40	—·33	—·30
<i>Cornus mascula</i> , Cornelian Cherry	—·40	—·33	—·30
" <i>sanguinea</i>	—·30	—·25	—·23
<i>Coryllus</i> <i>avellana</i>	—·25	—·22	—·20
" <i>colurna</i> , True Turk Hazelnut	—·35	—·30	—·26
<i>Cotoneaster horizontalis</i>	1·50	1·30	1·15
<i>Crataegus oxyacantha</i> <i>monogyna</i> , clean seed, English Hawthorn	—·32	—·28	—·25
" <i>crusgalli</i> , Cockspur Thorn	—·68	—·60	—·52
" <i>pyracantha coccinea</i> , fruits	—·30	—·26	—·23
<i>Cydonia japonica</i> , Flowering Quince (<i>Chaenomeles</i>)	2·30	2·—	1·80
" <i>vulgaris</i> , Common Quince	1·80	1·55	1·40
<i>Cytisus Laburnum</i> , Goldenchain, see <i>Laburnum vulgare</i>	—·—	—·—	—·—
<i>Daphne mezereum</i>	3·20	2·86	2·60
<i>Deutzia crenata</i>	1·85	1·65	1·50
" <i>gracilis</i>	1·15	1·—	—·90
<i>Eleagnus angustifolia</i> , Russian olive	—·85	—·72	—·65
<i>Eucalyptus globulus</i>	4·10	3·60	3·25
<i>Evonymus europaeus</i>	—·70	—·64	—·58
<i>Fagus sylvatica</i> , European Beech	—·20	—·16	—·14
" " <i>purpurea</i> , Blood leaved	1·05	—·90	—·80
<i>Fraxinus excelsior</i> , European Ash	—·11	—·10	—·09
" <i>americana alba</i> , White Ash	—·30	—·26	—·23
" <i>pubescens</i> , Red Ash	—·32	—·28	—·25
" <i>ornus</i> , Flowering Ash	—·30	—·26	—·23
<i>Gleditschia horrida</i>	—·60	—·53	—·48
" <i>inermis</i> , Not thorny Honey Locust	—·55	—·50	—·45
" <i>triacanthos</i> , Honey Locust	—·16	—·14	—·12
<i>Gymnocladus canadensis</i> , Kentucky Coffe	1·40	1·20	1·05
<i>Hedera helix</i> , English Ivy	—·20	—·19	—·16
<i>Hibiscus syriacus</i> , Shrub Althaea	—·34	—·30	—·26
<i>Hippophaë rhamnoides</i> , Common sea Buckthorn	—·68	—·60	—·52
<i>Ilex aquifolium</i> , English Holly, clean seed	—·70	—·63	—·57
<i>Juglans nigra</i> , Black Walnut	—·13	—·11	—·10
" <i>regia</i> Walnut	—·30	—·26	—·23
<i>Koelreuteria paniculata</i> , Goldenrain Tree	—·22	—·20	—·18
<i>Laburnum vulgare</i> , Goldenchain	—·90	—·77	—·70
<i>Laurocerasus</i> , Cherry-Laurel	—·35	—·30	—·26
<i>Laurus nobilis</i> Grecian-Laurel	—·25	—·22	—·20
<i>Ligustrum japonicum</i> , Japan Privet	—·23	—·20	—·18
" <i>vulgare</i> , European Privet	—·22	—·19	—·17
<i>Liriodendron tulipifera</i> , Tuliptree	—·50	—·44	—·40
<i>Lonicera xilosteam</i>	—·65	—·57	—·52
<i>Magnolia grandifolia</i> , Southern Magnolia	1·80	1·55	1·40
<i>Mahonia aquifolium</i> , <i>Berberis aqu.</i> , Hollygrape cl. s.	1·80	1·55	1·40
<i>Malus communis</i> , see <i>Pyrus malus</i>	—·—	—·—	—·—
<i>Melia azedarach</i> , Chinaberry	—·25	—·22	—·20
<i>Morus alba</i> , White Mulberry	—·68	—·60	—·52
" <i>tatarica</i> , Russian Mulberry	—·85	—·72	—·65

	Per lb.	Per lb. 10 lb. lot	Per lb. 100 lb. lot
<i>Ostrya carpinifolia</i> , Hopbornbeam	1.15	1.—	—90
<i>Paliurus aculeatus</i>	—40	—35	—32
<i>Paulownia imperialis</i> , Princess tree	—45	—39	—35
<i>Platanus occidentalis</i>	—30	—26	—23
" <i>orientalis</i> , European Platanus	—34	—30	—26
<i>Prunus</i> avium , Cherry	—16	—14	—12
" " <i>sylvaticum</i> , Mazard Cherry, from true wild trees	—45	—39	—35
" <i>cerasus austera</i>	—18	—15	—13
" <i>Mahaleb</i> , Mahaleb Cherry, clean stones	—40	—33	—30
" <i>Myrabolana</i> , Myrabolan Plum	—18	—15	—13
" <i>Padus</i> , fruits	—40	—35	—32
" <i>St. Jullen</i>	—35	—32	—29
" <i>serotina</i> , Black Cherry, clean stones	1.15	1.—	—90
" <i>spinosa</i>	—20	—18	—16
<i>Pyrus communis</i> , True Austrian Wild Pear seed	—50	—44	—40
" <i>malus</i> , True Austrian Wild Apple seed	—40	—35	—32
<i>Quercus ilex</i> , Scrub Oak	—34	—30	—26
" <i>pedunculata</i>	—08	—07	—06
" <i>rubra</i> , Common Red Oak	—25	—22	—20
" <i>sessiliflora</i>	—18	—15	—13
<i>Rhamnus cathartica</i> , Common Buckthorn	—40	—35	—32
" <i>frangula</i> , Glossy Buckthorn (fruits)	—50	—44	—40
<i>Rhus cotinus</i> , Common Smoketree	1.65	1.40	1.25
" <i>typhina</i> , Staghorn Sumac	—56	—50	—45
<i>Robinia pseudoacacia</i> , Common Blacklocust	—18	—15	—13
<i>Rosa canina</i> , clean seed	—18	—15	—13
<i>Sambucus nigra</i> , European Elder	—40	—35	—32
" <i>racemosa</i> , European Red Elder	—50	—44	—40
<i>Sophora japonica</i> , clean seeds	—35	—30	—26
<i>Sorbus aria</i>	—40	—35	—32
" <i>aucuparia</i> , European Mountain Ash	—18	—15	—13
" <i>torminalis</i>	—34	—30	—26
<i>Spartium junceum</i>	—56	—50	—45
" <i>scoparium</i>	—56	—50	—45
<i>Syringa vulgaris</i> , Common Lilac, Clean seed	3.—	2.70	2.45
<i>Staphylea pinnata</i>	—35	—30	—26
<i>Tilia argentea tomentosa</i> , Silver Linden	—40	—35	—32
" <i>grandifolia platyphillos</i> , Bigleaf European Linden	—25	—22	—20
" <i>parvifolia</i> , Common European Linden	—26	—23	—21
<i>Ulmus campestris</i> , English Elm, crop May 1930	—40	—35	—32
" <i>montana</i> , Mountain Elm, " " 1930	—56	—50	—45
<i>Viburnum lantana</i> , Wayfaring tree	—35	—30	—26
" <i>opulus</i> , European Cranberrybush	—56	—50	—45
" <i>tinus</i> , Laurus tinus	—35	—30	—26

We beg to draw your attention to the fact that our fruit-tree-seeds are positively of the new crop and of best quality. This is especially the case with the Apple and Pear-seeds, which are distinguished by **particular strength of growth** and which are by far better than the French seeds. One of our American friends writes in this connection: **We personally prefer by much the Austrian seed of Apples and Pears to the French.** This latter gets worse and worse from one year to the other and it is **only a question of time** when the dissatisfaction with it will become general.



GERMINATION- APPARATUS

Stainer's Original Germ-Apparatus

the best seed=tester

2 Dollar 20 cts.



per apparatus, packing included, free
Wiener=Neustadt

Ask detailed prospectus

W. Neustadt, August 1929.

DEAR SIR,

We beg to observe expressly that all seeds quoted in our price=list are from the crop 1929 and collected by our own collectors.

Our good reputation spread far over Europe and your country warrants the first class quality of our seeds.

Though the crop prospects for the coming season are, in part, again hardly encouraging, in consequence of the uncommon coldness of the last winter and of the enormous heat of this summer, we have succeeded in reducing the prices of many an article and hope that you will indemnify us for this loss by favouring us with important orders.

Please keep in mind that we are producers and that we carry on our kilnhouses well known all over the world, since more than a generation in an exemplary way which has been acknowledged very often by many authorities.

Our scrupulousness and our zeal to carry on the seedbusiness on the fairest way as well as our maxim rather suffer ourselves than make our customers suffer, have founded our indisputed reputation.

If the prices of one or the other article are higher than those of our competitors who are dealers, but no producers, this shall not be a reason for you to deprive us from your orders. It has always been our maxim to calculate the prices as low as possible and if others quote still lower prices, this is only possible at the cost of the quality and by furnishing old seed of inferior germinating faculty.

You may make inquiries regarding our firm of the U. S. Department of Agriculture. Please find below some of the recent acknowledgements of your country which will show you that our seeds are favourites with your fellow=countrymen.

We hope to be favoured with your valuable orders and beg to remain, dear Sirs,

Very truly yours

WR. NEUSTADTER
WALDSAMEN-KLENGANSTALTEN
JUL. STAINER

ACKNOWLEDGEMENTS

Thanks for your efforts in obtaining our seeds. We surely appreciate it very much. You have done fine with us this year, the best service we ever had. You can look forward to our orders for another year.

Yours very truly

JACKSON & PERKINS COMPANY, NEWARK, N. Y.

The seed ordered from you came through in good time and appears all right.

J. N. Co., YAKIMA, WASHINGTON

We thank you very much for getting at least 80 lbs of *Fagus sylvatica purpurea* seeds for us. Also we are pleased with the service you have given us during the season.

We received your third shipment in the best of shape and in record time. Thanks for having proper papers going with them. We are very glad to give you our best compliments on it.

N. N. J.

We wish to thank you for your courteous service and to assure you that as far as we are able to determine at present the goods arrived in first class shape and everything in connection with the transaction is perfectly satisfactory.

CHIEF FORESTER OF THE DEPARTMENT OF AGRICULTURE
MONTPELLIER, STATE OF VERMONT.

We wish to say that we received the seeds several weeks ago in very good condition. The seeds are excellent and we hope you will continue to send us your lists in order that we may be able to send you further orders next season.

KOSTER & Co., BRIDGETON, N. J.

We are glad to say that we have been very satisfied with your seeds. We have had good results with them and we appreciate the fact that you have done your best to satisfy us. We are sure that we will do business on a larger basis with you another year.

J. P. C.

We have had very good results with the seed received from you this spring. Have had ideal conditions for germinating seed here, and have a good stand on all the seed you shipped us. Hope to be able to use more of your seed again in the future.

TH. K. NURSERIES, ST. JOSEPH, MO.

The seed arrived in excellent condition and was promptly delivered.

K. F. A. KEENE, N. H.

We will add here that we are very much pleased with the seed which we obtained from you last spring, it has shown excellent germination.

K. F. A., KEENE, N. H.

We were pleased with your last shipment and thank you for your usual prompt service. We are glad to again send you this order for seed.

E. N. New York.

We feel obliged to express to you our best thanks, especially for the exemplary packing. Meanwhile I have tested the germination of the first shipment, the result is an excellent one, many thanks. Your excellent service is a great help to me in filling my responsible post and therefore, next season, too, I shall place with you orders of much importance.

P. V. P., N., N. Y.

The seed you sent us last year proved very satisfactory and we are coming to you again for this year's supply.

M. A. N., SHENANDOAH, JOWA.